

GRCRS Package Cover Sheet

Site Name Family Natural Health

Site Address 910 West Grand, Wisconsin Rapids WI

BRRTS # 03-72-153282 Date of Closure Decision 8/16/00

Closure letter(s)

Groundwater Use Restriction/Warranty Deed

Yes No Off-site contamination present? (Include related documents)

Yes No Right-of-way contamination present? (Include related documents)

General location map

_____ GPS x-coordinate

_____ GPS y-coordinate

Detailed site map(s)

Groundwater flow map(s)

Latest map(s) showing extent or outline of plume

Latest table(s) of analytical results (soil results included only if soil deed restriction is incorporated into groundwater use restriction document)


If available:

_____ Legal description

34-01945 _____ County and Parcel I.D./Tax Parcel No.

Geologic cross sections

_____ Isoconcentrations map(s)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Scott A. Humrickhouse, Regional Director

Wisconsin Rapids Office
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494-7859
Telephone 715-421-7800
FAX 715-421-7830

December 27, 2000

BRRTS #: 03-72-153282

Mr. Mike Hittner
Family Natural Foods
910 West Grand Avenue
Wisconsin Rapids, WI 54495

FILE COPY

SUBJECT: Case Closure with Deed Notice and Groundwater Use Restriction,
Family Natural Foods, 910 West Grand Avenue, Wisconsin Rapids, Wisconsin.

Dear Mr. Hittner:

The Wisconsin Department of Natural Resources (WDNR) west central region has received the monitoring well abandonment forms for the wells associated with the subsurface environmental assessment and cleanup conducted by your consultant for the above referenced site and a copy of the deed affidavit (deed notice and groundwater use restriction with the recording information stamped on it) recorded with the Wood County Register of Deeds as required by WDNR west central closure committee as conditions for closure of this site. Based on all information contained in the site file and the information included in the well abandonment forms and deed restriction submitted by you, it is the decision of the DNR that, **no further investigatory or clean-up action is needed at the above referenced site and that this site is considered closed.**

You should note that this letter does not constitute Department "certification" under s. 292.15(2)(a)3, Stats., as created by 1993 Wisconsin Act 453 (May 12, 1994). Also, in 1997 Wisconsin Act 27, the legislature amended s. 292.15, Wis. Stats., creating the new "Voluntary Party Remediation and Exemption from Liability" statute. This statute provides liability protection for persons who did not intentionally or recklessly cause the release of a hazardous substance and who conducts an environmental investigation and cleans up property by restoring the environment to the extent practicable and in accordance with rules promulgated by the Department. Upon completion of the cleanup, the person receives a "certificate of completion" that provides an exemption from the "Hazardous Substance Spills" statute and protection from future liability for the past releases. You must apply for the program by filling out an application form and fees are charged to cover administrative costs associated with the program. If you are interested in more information about the program or would like an application package, please call Loren Brumberg at the West Central Region Office in Eau Claire at 715-839-3770.

Quality Natural Resources Management
Through Excellent Customer Service

December 27, 2000
Mr. Mike Hittner - Family Natural Foods
Page 2

BRRTS #03-72-153282

Thank you for your efforts to cleanup Wisconsin's environment. If you should have any questions regarding this letter please contact me at (715) 421-7850.

Sincerely,



Tom Hvizdak
Hydrogeologist

c: Janet Snedeker, LLA, 10968 Hwy. 54 E., Wisconsin Rapids, WI 54494-8709



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Scott A. Humrickhouse, Regional Director

Wisconsin Rapids Office
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494-7859
Telephone 715-421-7800
FAX 715-421-7830

August 18, 2000

BRRTS #: 03-72-153282

Mr. Mike Hittner
Family Natural Foods
910 West Grand Avenue
Wisconsin Rapids, WI 54495

FILE COPY

SUBJECT: Conditional Case Closure, Family Natural Foods, 910 West Grand Avenue,
Wisconsin Rapids, Wisconsin.

Dear Mr. Hittner:

Sincerely,

On August 16, 2000, the above named site was reviewed by the Wisconsin Department of Natural Resources West (DNR) Central Region closeout committee for a determination as to whether or not the case qualified for close out under Wis. Adm. Code (WAC) ch. NR 726. The data presented to the committee indicates that a WAC ch. 140 groundwater quality enforcement standard (ES) exceedence for benzene and naphthalene is present in the groundwater at the site and that residual petroleum-related soil contamination remains under the southwest corner of the building building and at the southeast corner of the property. Due to the presence of residual groundwater and soil contamination, a clean closure can not be granted in this case at this time. However, based on the investigative and remediation documentation provided to the Department, it appears that the extent of the petroleum contamination at the above-named site has been investigated and remediated to the extent practicable, the location of the potential residual soil contamination does not pose a threat to direct contact under current site conditions, and that natural attenuation will be effective in reducing the mass of residual contamination at this site. Therefore, the Department considers the case "closed," having determined pursuant to WAC NR 726, that no further action is necessary on the site at this time, providing the property owner complies with the following three conditions.

The first condition of the closeout for this case is that a groundwater use restriction be filed on the property deed describing the type, location, and extent of the residual groundwater contamination, and requiring that Department (or successor agency) approval must be obtained before any water supply wells are reconstructed or installed on the property and that if contaminated groundwater is extracted from the property for any other reason (i.e. for construction purposes), the groundwater must be managed in compliance with applicable laws and regulations.

*Quality Natural Resources Management
Through Excellent Customer Service*



July 22, 1999
Mr. Mike Hittner - Family Natural Foods
Page 2

BRRTS #03-72-153282

The second condition of the closeout for this case is that a notice be filed on the property deed notifying potential purchasers that residual soil contamination is present under the southwest corner of the building and at the southeast corner of the property, that it may represent solid waste should it be excavated in the future, that it may represent a direct contact hazard to workers should they be exposed to the material, and if future excavation exposes impacted material, proper steps should be taken to address the potential risks to workers and make sure the material is properly disposed of as solid waste.

Please note that it is acceptable to combine the aforementioned deed restriction and deed notice into one document. Also, please submit a copy of the most recent deed for the property to verify the property description on the draft deed restriction and notice.

Draft copies of these deed documents must be submitted to the Department for approval within 30 days, and the deed documents must be registered with the County Register of Deeds fifteen days after receiving Department approval of the draft deed restriction and notice. To document that this condition has been complied with, the property owner must submit to the Department a copy of the recorded deed documents, with the recording information stamped on them, within 15 days after the County Register of Deeds returns the deed documents to the property owner. The deed documents may be amended in the future with the approval of Department if conditions change at the site such that the residual contamination is completely remediated (if deemed necessary).

The third condition of the closeout of this case is the proper abandonment of the monitoring wells currently at the site (pursuant of WAC NR 141). Documents should be forwarded to me at the WDNR Wisconsin Rapids office that substantiates proper abandonment (Form 3300-5W).

If you have additional relevant information which was not formerly provided to the Department, and which you feel would significantly impact the Department's closure decision, you may submit that information for our re-evaluation of case closure.

You should note that this letter does not constitute Department "certification" under s. 292.15(2)(a)3, Stats., as created by 1993 Wisconsin Act 453 (May 12, 1994). Also, in 1997 Wisconsin Act 27, the legislature amended s. 292.15, Wis. Stats., creating the new "Voluntary Party Remediation and Exemption from Liability" statute. This statute provides liability protection for persons who did not intentionally or recklessly cause the release of a hazardous substance and who conducts an environmental investigation and cleans up property by restoring the environment to the extent practicable and in accordance with rules promulgated by the Department. Upon completion of the cleanup, the person receives a "certificate of completion" that provides an exemption from the "Hazardous Substance Spills" statute and protection from future liability for the past releases. You must apply for the program by filling out an application form and fees are charged to cover administrative costs associated with the program. If you are interested in more information about the program or would like an application package, please call Loren Brumberg at the West Central Region Office in Eau Claire at 715-839-3770.

July 22, 1999
Mr. Mike Hittner - Family Natural Foods
Page 3

BRRTS #03-72-153282

Once the deed restriction and notice, and the monitoring well abandonment forms, have been properly submitted to this office we will issue the final closure letter for this site. Thank you for your efforts to cleanup Wisconsin's environment. If you should have any questions regarding this letter please contact me at (715) 421-7850.

Sincerely,



Tom Hvizdak
Hydrogeologist

c: Jim Lindemann, LLA, 10968 Hwy. 54 E., Wisconsin Rapids, WI 54494-8709

Document Number

DEED NOTICE & GROUNDWATER USE RESTRICTION

870379

REGISTER OF DEEDS WOOD COUNTY RECORDED ON

11-07-2000 12:23 PM

RENE' L KRAUSE REGISTER OF DEEDS

René L Krause

REC. FEE 18.00
TRAN. FEE:
PAGES: 5

Recording Area

Frank E. Hittner
420 13th Avenue South
Wisconsin Rapids, WI 54494

1800P

34-01945

Parcel Identification Number (PIN)

Declaration of Restrictions

In Re: A portion of Lot Three (3) of the Southwest quarter (SW1/4) of the Southeast quarter (SE1/4) of Section Seven (7) Township Twenty-two (22) North, Range Six (6) East, Wood County, Wisconsin and more particularly described as follows: Commencing at a point on the West side of Witter Street (now Ninth Avenue North) where it intersects with Cranberry Street (now Grand Avenue) thence Northerly along the West side of said Witter Street One Hundred Fifty-seven (157) feet, thence westerly and parallel with said Cranberry Street Sixty-six (66) feet, thence Southerly and parallel to said Witter Street One Hundred Fifty-seven (157) feet, thence Easterly along the North side of said Cranberry Street Sixty-six (66) feet to point of beginning, being in the City of Wisconsin Rapids.

STATE OF WISCONSIN)
) ss
COUNTY OF WOOD)

WHEREAS, Frank E. Hittner is the owner of the above-described property.

WHEREAS, one or more gasoline and diesel discharges have occurred on this property. Benzene and naphthalene contaminated groundwater above ch. NR 140, Wis. Adm. Code, enforcement standards existed on this property at the following locations, as shown on the attached monitoring well location map, Dwg No. A-8220-Q, at the following concentrations on May 23, 2000: MW-1A - Benzene at 15 ug/l and MW-2A - Benzene at 29 ug/l and naphthalene at 50 ug/l.

Petroleum - contaminated soil exists on the property at the following locations: beneath the southwest corner of the building and at the southeast corner of the property as shown on the attached extent of remaining contaminated soil map, Dwg No. A-8220-S.

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct further groundwater or soil remediation activities on the property at the present time.

WHEREAS, one purpose of recording this restriction is of notifying prospective purchasers and other interested parties that soil contaminated with gasoline and diesel

from former underground storage tanks remains on this property in the following locations: beneath the southwest corner of the building and at the southeast corner of the property as shown on the extent of remaining contaminated soil map, DWG No. A-8220-S.

WHEREAS, natural attenuation has been approved by the Department of Natural Resources to remediate soil contamination and groundwater contamination exceeding ch. NR 140, Wis. Adm. Code, groundwater standards within the boundaries of this property.

WHEREAS, construction of wells where the water quality does not comply with drinking water standards in ch. NR 809 is restricted by chs. NR 811 and NR 812, Wis. Adm. Code. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed on this property unless applicable requirements are met.


If construction is proposed on this property that will require dewatering, or if groundwater is to be otherwise extracted from this property, while this groundwater use restriction is in effect, the groundwater shall be sampled and analyzed for contaminants that were previously detected on the property and any extracted groundwater shall be managed in compliance with applicable statutes and rules.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, attached to a copy of the Department's written determination, may be recorded to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this _____ day of _____, 20____.



Signature: [Handwritten Signature]
Printed Name: Frank E. Hittner




Subscribed and sworn to before me
this 7th day of Nov, 2000.

[Handwritten Signature]
Notary Public, State of Angela Williams
My commission My Commission Expires 12/31/02

This document was drafted by Lampert-Lee & Associates based on information provided by the Wisconsin Department of Natural Resources.



CONTOUR INTERVAL 10 FEET
 DOTTED LINES REPRESENT 5-FOOT CONTOURS
 NATIONAL GEODETIC VERTICAL DATUM OF 1929



SITE LOCATION MAP

WISCONSIN RAPIDS NORTH, WIS.
 NE/4 WISCONSIN RAPIDS 15' QUADRANGLE
 44089-D7-TF-024



ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

1984

LEGEND:

- 1" IRON PIPE FOUND
- ⊗ NAIL SET
- ⊗ P.K. NAIL
- ⊗ LIGHT STANDARD
- ⊗ MANHOLE
- ⊗ CATCH BASIN
- ⊗ WATER MAIN VALVE
- ⊗ MONITORING WELL
- ⊗ GAS MAIN VALVE
- ◆ STREET SIGN
- ⊗ GUARD POST
- (TW) TOP OF WELL
- (TC) TOP OF CASING
- (GW) GROUND WATER ELEV.
- PREVIOUSLY RECORDED AS (1000)
- SS- SANITARY SEWER LINE
- SL- SANITARY SEWER LATERAL
- W- WATER MAIN LATERAL
- ue- UNDERGROUND ELECTRIC LINE
- e- AERIAL ELECTRIC LINE
- G- UNDERGROUND GAS LINE
- *** FENCE
- /// EDGE OF ASPHALT

Scale 1"=30'



J.A.B. - Jan 07, 1999, 15:26:38

ESP GROUP, INC.
LAMPERT-LEE & ASSOCIATES

FAMILY NATURAL HEALTH FOODS
 WATER TABLE CONTOUR MAP, JULY 20, 1998





DATE: JANUARY 8, 1999
LLA # 97-238
DRAWN BY: JIM BRASEL
REVIEWED BY: J. LINDEMANN
DWG. NO. A-8220-A

LEGEND:

- 1" IRON PIPE FOUND
- ⊗ NAIL SET
- ⊗ P.K. NAIL
- ⊗ LIGHT STANDARD
- ⊗ MANHOLE
- ⊗ CATCH BASIN
- ⊗ WATER MAIN VALVE
- ⊗ MONITORING WELL
- ⊗ GAS MAIN VALVE
- STREET SIGN
- ⊗ GUARD POST
- (TW) TOP OF WELL
- (TC) TOP OF CASING
- (GW) GROUND WATER ELEV.
- (GR) GROUND ELEVATION
- PREVIOUSLY RECORDED AS (1000)
- SANITARY SEWER LINE
- SANITARY SEWER LATERAL
- WATER MAIN LATERAL
- UNDERGROUND ELECTRIC LINE
- AERIAL ELECTRIC LINE
- UNDERGROUND GAS LINE
- FENCE
- EDGE OF ASPHALT

Scale 1"=30'



J.A.B. - Jun 16, 2000, 15:45:58



ESP GROUP, INC.
**LAMPERT-LEE
& ASSOCIATES**

**FAMILY NATURAL
HEALTH FOODS**
WATER TABLE CONTOUR
MAP, MAY 23, 2000



DATE: JUNE 19, 2000

LLA # 99-46


DRAWN BY: JIM BRASEL

REVIEWED BY: J. LINDEMANN


DWG. NO. A-8220-S

LEGEND:

Scale 1"=30'



- 1" IRON PIPE FOUND
- ⊗ NAIL SET
- ⊗ P.K. NAIL
- ⊙ LIGHT STANDARD
- ⊙ MANHOLE
- ⊙ CATCH BASIN
- ⊙ WATER MAIN VALVE
- ⊙ MONITORING WELL
- ⊙ GAS MAIN VALVE
- STREET SIGN
- ⊙ GUARD POST
- (TW) TOP OF WELL
- (TC) TOP OF CASING
- (GW) GROUND WATER ELEV.
- (GR) GROUND ELEVATION
- PREVIOUSLY RECORDED AS (2002)
- S- SANITARY SEWER LINE
- S- SANITARY SEWER LATERAL
- W- WATER MAIN LATERAL
- U- UNDERGROUND ELECTRIC LINE
- e- AERIAL ELECTRIC LINE
- G- UNDERGROUND GAS LINE
- *- FENCE
- /- EDGE OF ASPHALT



J.A.B.—Jan 04, 2000, 09:43:11



ESP GROUP, INC.
**LAMPERT-LEE
& ASSOCIATES**


**FAMILY NATURAL
HEALTH FOODS**
NAPHTALENE DISTRIBUTION
MAP 12/08/99




DATE: JANUARY 4, 2000
LLA # 99-46
DRAWN BY: JIM BRASEL
REVIEWED BY: J. LINDEMANN
DWG. NO. A-8220-R_NA

LEGEND:

Scale 1"=30'



- 1" IRON PIPE FOUND
- ⊗ NAIL SET
- ⊗ P.K. NAIL
- ⊗ LIGHT STANDARD
- ⊗ MANHOLE
- ⊗ CATCH BASIN
- ⊗ WATER MAIN VALVE
- ⊗ MONITORING WELL
- ⊗ GAS MAIN VALVE
- ⊗ STREET SIGN
- ⊗ GUARD POST
- (TW) TOP OF WELL
- (TC) TOP OF CASING
- (GW) GROUND WATER ELEV.
- (GR) GROUND ELEVATION
- PREVIOUSLY RECORDED AS (000)
- S- SANITARY SEWER LINE
- S- SANITARY SEWER LATERAL
- W- WATER MAIN LATERAL
- ue- UNDERGROUND ELECTRIC LINE
- e- AERIAL ELECTRIC LINE
- G- UNDERGROUND GAS LINE
- *** FENCE
- EDGE OF ASPHALT



J.A.B.-Jan 04, 2000, 09:34:39



ESP GROUP, INC.
**LAMPERT-LEE
& ASSOCIATES**

**FAMILY NATURAL
HEALTH FOODS**
BENZENE DISTRIBUTION
MAP 12/08/99



DATE: JANUARY 4, 2000

LLA # 99-46

DRAWN BY: JIM BRASEL

REVIEWED BY: J. LINDEMANN

DWG. NO. A-8220-R_BE

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBERS MW-1/MW-1A

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE					
			7/20/98	10/21/98	12/16/98	6/15/99	12/8/99	5/23/00
GRO (Gasoline Range Organics)	-	-	1.86	1.73	NA	0.11	<0.29>	<0.045>
DRO (Diesel Range Organics)	-	-	NA	2.85	2.97	<0.068>	NA	NA
VOLATILE ORGANIC COMPOUNDS								
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	46.8	110	NA	13	100	15
n-Butylbenzene	-	-	NA	14.7	NA	NA	NA	NA
sec-Butylbenzene	-	-	NA	14.9	NA	NA	NA	NA
Ethylbenzene	700	140	55.3	74.1	NA	<1.8>	<10>	<0.55>
Isopropylbenzene	-	-	NA	17.9	NA	NA	NA	NA
p-Isopropyltoluene	-	-	NA	6.16	NA	NA	NA	NA
Methyl - t - Butyl ether	60	12	<10.0	<5.0	NA	<0.47>	<4.7>	<0.47>
Naphthalene	40	8	29.9	25.0	NA	4.2	<5.2>	<0.52>
n-Propylbenzene	-	-	NA	19.2	NA	NA	NA	NA
Toluene	1,000	200	40.1	11.6	NA	2.7	<5.2>	<0.75>
1,2,4-Trimethylbenzene	480 (1)	96 (1)	85.9	36.9	NA	7.9	<16>	2.1
1,3,5-Trimethylbenzene	480 (1)	96 (1)	42.9	31.4	NA	1.9	<10>	<0.52>
m&p-Xylene	10,000 (2)	1,000 (2)	153	63.0	NA	8.5	36	<3.1>
o-Xylene	10,000 (2)	1,000 (2)	90.2	23.6	NA	7.7	<5.0>	<0.80>
Lead	15	1.5	4.83	41.5	NA	<3.2>	<1.4>	<1.4>

mg/l - milligrams/liter (ppm)
 ug/l - micrograms/liter (ppb)
 - - standards not established
 "NA" - not analyzed
 <0.0> - detected above limit of detection but below limit of quantitation
 (1) Total Trimethylbenzene
 (2) Total Xylenes
 - detected above the Enforcement Standard

Note: MW-1 was abandoned on 5/3/99 and replaced by MW-1A on 5/5/99

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-1/MW-1A

POLYNUCLEAR AROMATIC HYDROCARBONS

	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
Acenaphthene	-	-	NA	<0.11>	<0.11>	<0.026>
Acenaphthylene	-	-	NA	<0.08>	<0.08>	<0.073>
Anthracene	3000	600	NA	<0.03>	<0.03>	<0.023>
Benzo (a) Anthracene	-	-	NA	<0.06>	<0.06>	<0.042>
Benzo (b) Fluoranthene	0.2	0.02	NA	<0.03>	<0.03>	<0.023>
Benzo (k) Fluoranthene	-	-	NA	<0.03>	<0.03>	<0.028>
Benzo (ghi) Perylene	-	-	NA	<0.05>	<0.05>	<0.031>
Benzo (a) pyrene	0.2	0.02	NA	<0.06>	<0.06>	<0.016>
Chrysene	0.2	0.02	NA	<0.04>	<0.04>	<0.023>
Dibenzo (ah) Anthracene	-	-	NA	<0.06>	<0.06>	<0.022>
Fluoranthene	400	80	NA	<0.04>	0.221	<0.034>
Fluorene	400	80	NA	<0.04>	0.906	<0.031>
Indeneo (1,2,3 -cd) Pyrene	-	-	NA	<0.04>	<0.04>	<0.090>
Napthalene	40	8	NA	12.4	0.096	<0.034>
Phenanthrene	-	-	NA	<0.08>	<0.08>	<0.066>
Pyrene	250	50	NA	<0.17>	<0.17>	<0.025>
Methyl - 1 - Napthalene	-	-	NA	6.27	6.79	<0.097>
Methyl - 2 - Napthalene	-	-	NA	4.38	2.58	<0.066>

mg/l - milligrams/liter (ppm)
 ug/l - micrograms/liter (ppb)
 NA - not analyzed
 <0.0> - detected above limit of detection but below limit of quantitation
 - detected above the Enforcement Standard

Note: MW-1 was abandoned on 5/3/99 and replaced by MW-1A on 5/5/99

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-2/MW-2A

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE					
			7/20/98	10/21/98	12/16/98	6/15/99	12/8/99	5/23/00
GRO (Gasoline Range Organics)	-	-	5.39	4.72	NA	3.00	1.9	<2.9>
DRO (Diesel Range Organics)	-	-	NA	2.72	3.33	2.60	NA	NA
VOLATILE ORGANIC COMPOUNDS								
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	68.5	66.8	NA	42	45	<28>
n-Butylbenzene	-	-	NA	36.8	NA	NA	NA	NA
sec-Butylbenzene	-	-	NA	22.9	NA	NA	NA	NA
Ethylbenzene	700	140	223	157	NA	46	110	120
Isopropylbenzene	-	-	NA	40.8	NA	NA	NA	NA
p-Isopropyltoluene	-	-	NA	10.8	NA	NA	NA	NA
Methyl-t-Butyl ether	60	12	<10.0	<10.0	NA	<9.4	<9.4	<9.4
Naphthalene	40	8	66.5	52.4	NA	64	44	50
n-Propylbenzene	-	-	NA	47.7	NA	NA	NA	NA
Toluene	1,000	200	22.9	16	NA	<34>	<12>	<21>
1,2,4-Trimethylbenzene	480 (1)	96 (1)	267	186	NA	180	110	120
1,3,5-Trimethylbenzene	480 (1)	96 (1)	117	80.7	NA	82	48	47
m&p-Xylene	10,000 (2)	1,000 (2)	341	223	NA	200	77	88
o-Xylene	10,000 (2)	1,000 (2)	142	101	NA	140	<13>	<31>
Lead	15	1.5	<1.0	9.49	NA	6.8	<2.6>	2.9

*mg/l - milligrams/liter (ppm)
 **ug/l - micrograms/liter (ppb)
 - - - standards not established
 "NA" - not analyzed
 <0.0> - detected above limit of detection but below limit of quantitation
 (1) Total Trimethylbenzene
 (2) Total Xylenes
 - detected above the Enforcement Standard

Note: MW-2 was abandoned on 5/3/99 and replaced by MW-2A on 5/5/99

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-2/MW-2A

POLYNUCLEAR AROMATIC HYDROCARBONS

	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Acenaphthene	-	-	NA	<0.11	<0.08	2.8
Acenaphthylene	-	-	NA	<0.08	<0.08	0.56
Anthracene	3000	600	NA	<0.03	<0.03	<0.025>
Benzo (a) Anthracene	-	-	NA	<0.06	<0.06	<0.042
Benzo (b) Fluoranthene	0.2	0.02	NA	0.038	0.035	<0.023
Benzo (k) Fluoranthene	-	-	NA	<0.03	0.031	<0.028
Benzo (ghi) Perylene	-	-	NA	<0.05	<0.05	<0.031
Benzo (a) pyrene	0.2	0.02	NA	<0.06	<0.06	<0.016
Chrysene	0.2	0.02	NA	<0.04	<0.04	<0.023
Dibenzo (ah) Anthracene	-	-	NA	<0.06	<0.06	<0.022
Fluoranthene	400	80	NA	<0.04	<0.04	<0.047>
Fluorene	400	80	NA	<0.04	1.08	2.3
Indeno (1,2,3-cd) Pyrene	-	-	NA	<0.04	<0.04	<0.090
Naphthalene	40	8	NA	27.3	15.7	52
Phenanthrene	-	-	NA	<0.08	<0.08	<0.066
Pyrene	250	50	NA	<0.17	<0.17	<0.025
Methyl-1-Naphthalene	-	-	NA	6.58	7.16	<5.4>
Methyl-2-Naphthalene	-	-	NA	13.0	6.22	15

mg/l - milligrams/liter (ppm)
 ug/l - micrograms/liter (ppb)
 NA - not analyzed
 <0.0> - detected above limit of detection but below limit of quantitation
 - detected above the Enforcement Standard

Note: MW-2 was abandoned on 5/3/99 and replaced by MW-2A on 5/5/99

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER PZ-1/PZ-1A

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE					
			7/20/98	10/21/98	12/16/98	6/15/99	12/8/99	5/23/00
GRO (Gasoline Range Organics)	-	-	0.774	1.71	NA	0.33	0.15	0.088
DRO (Diesel Range Organics)	-	-	NA	1.92	2.34	1.5	NA	<1.4

VOLATILE ORGANIC COMPOUNDS

	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	6.4	25.5	NA	5.9	<0.5	<0.5
sec-Butylbenzene	-	-	NA	10.5	NA	NA	NA	NA
Ethylbenzene	700	140	41.7	120.0	NA	11	<0.55	<0.55
Isopropylbenzene	-	-	NA	13.8	NA	NA	NA	NA
Methyl - t - Butyl ether	60	12	<5.0	<10	NA	<0.94	<0.47	<0.47
Naphthalene	40	8	30.6	53.6	NA	12	3.5	3.5
n-Propylbenzene	-	-	NA	18.8	NA	NA	NA	NA
Toluene	1,000	200	9.26	<10	NA	<2.7>	<1.1>	<0.94>
1,2,4-Trimethylbenzene	480 (1)	96 (1)	51.3	119.0	NA	6.4	<1.1>	<0.55>
1,3,5-Trimethylbenzene	480 (1)	96 (1)	19.3	35.7	NA	<2.6>	<0.52	<0.52
m&p-Xylene	10,000 (2)	1,000 (2)	63.5	106.0	NA	7.4	<2.9>	<1.0
o-Xylene	10,000 (2)	1,000 (2)	29.6	20.5	NA	<2.8>	<0.5	<0.50
Lead	15	1.5	<1.0	8.76	NA	<1.4	<1.4	<1.4

*mg/l - milligrams/liter (ppm)

**ug/l - micrograms/liter (ppb)

" - " standards not established

"NA" - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

(1) Total Trimethylbenzene

(2) Total Xylenes

- detected above the Enforcement Standard

Note PZ-1 was abandoned on 5/3/99 and replaced by PZ-1A on 5/5/99

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER PZ-1/PZ-1A

POLYNUCLEAR AROMATIC HYDROCARBONS

	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
Acenaphthene	-	-	NA	<0.11	<0.27	0.71
Acenaphthylene	-	-	NA	<0.08	<0.27	<0.073
Anthracene	3000	600	NA	<0.03	<0.1	<0.048>
Benzo (a) Anthracene	-	-	NA	<0.06	<0.2	<0.042
Benzo (b) Fluoranthene	0.2	0.02	NA	0.047	<0.1	<0.023
Benzo (k) Fluoranthene	-	-	NA	<0.03	<0.1	<0.026
Benzo (ghi) Perylene	-	-	NA	<0.05	<0.17	<0.031
Benzo (a) pyrene	0.2	0.02	NA	<0.06	<0.2	<0.016
Chrysene	0.2	0.02	NA	<0.04	<0.13	<0.023
Dibenzo (ah) Anthracene	-	-	NA	<0.06	<0.2	<0.022
Fluoranthene	400	80	NA	<0.04	<0.13	<0.076>
Fluorene	400	80	NA	<0.04	1.33	0.70
Indeneo (1,2,3 -cd) Pyrene	-	-	NA	<0.04	<0.13	<0.090
Naphthalene	40	8	NA	44.1	40.2	7.5
Phenanthrene	-	-	NA	<0.08	<0.27	<0.088
Pyrene	250	50	NA	<0.17	<0.57	<0.025
Methyl - 1 - Naphthalene	-	-	NA	14.7	15.4	8.2
Methyl - 2 - Naphthalene	-	-	NA	10.1	8.25	1.6

mg/l - milligrams/liter (ppm)

ug/l - micrograms/liter (ppb)

NA - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

- detected above the Enforcement Standard

Note PZ-1 was abandoned on 5/3/99 and replaced by PZ-1A on 5/5/99

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-3

Post
Excavation
→

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
GRO (Gasoline Range Organics)	-	-	mg/l	mg/l	mg/l	mg/l
DRO (Diesel Range Organics)	-	-	<0.050	<0.050	NA	<0.015
			NA	0.104	<0.10	<0.051

VOLATILE ORGANIC COMPOUNDS

	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<0.5	<0.5	NA	<0.50
Ethylbenzene	700	140	<1.0	1.17	NA	<0.55
Methyl - t - Butyl ether	60	12	<1.0	<1.0	NA	<0.47
Naphthalene	40	8	<1.0	<1.0	NA	<0.52
Toluene	1,000	200	<1.0	<1.0	NA	<0.52
1,2,4-Trimethylbenzene	480 (1)	96 (1)	<1.0	<1.0	NA	<0.55
1,3,5-Trimethylbenzene	480 (1)	96 (1)	<1.0	<1.0	NA	<0.52
m&p-Xylene	10,000 (2)	1,000 (2)	<1.0	1.20	NA	<1.0
o-Xylene	10,000 (2)	1,000 (2)	<1.0	<1.0	NA	<0.50
Lead	15	1.5	<1.0	1.07	NA	<2.0>

*mg/l - milligrams/liter (ppm)

**ug/l - micrograms/liter (ppb)

" - " standards not established

"NA" - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

(1) Total Trimethylbenzene

(2) Total Xylenes

- detected above the Enforcement Standard

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-3

POLYNUCLEAR AROMATIC HYDROCARBONS

	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
Acenaphthene	-	-	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Acenaphthylene	-	-	NA	<0.11	<0.11	<0.026
Anthracene	3000	600	NA	<0.08	<0.08	<0.073
Benzo (a) Anthracene	-	-	NA	<0.03	<0.03	<0.023
Benzo (b) Fluoranthene	0.2	0.02	NA	<0.06	<0.06	<0.042
Benzo (k) Fluoranthene	-	-	NA	0.085	0.084	<0.028>
Benzo (ghi) Perylene	-	-	NA	0.045	0.045	<0.028
Benzo (a) pyrene	0.2	0.02	NA	<0.05	<0.05	<0.031
Chrysene	0.2	0.02	NA	0.092	<0.06	<0.016
Dibenzo (ah) Anthracene	-	-	NA	<0.04	0.056	<0.023
Fluoranthene	400	80	NA	<0.06	<0.06	<0.022
Fluorene	400	80	NA	0.273	0.270	<0.052>
Indeneo (1,2,3 -cd) Pyrene	-	-	NA	<0.04	<0.04	<0.031
Napthalene	40	8	NA	0.054	0.051	<0.090
Phenanthrene	-	-	NA	0.087	<0.05	<0.034
Pyrene	250	50	NA	<0.08	0.118	<0.066
Methyl - 1- Napthalene	-	-	NA	<0.17	<0.17	<0.028>
Methyl - 2- Napthalene	-	-	NA	<0.06	<0.06	<0.097
			NA	<0.07	0.087	<0.066

mg/l - milligrams/liter (ppm)

ug/l - micrograms/liter (ppb)

NA - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

- detected above the Enforcement Standard

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-4

Post
Excavation
→

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
GRO (Gasoline Range Organics)	-	-	0.070	0.307	NA	<0.015
DRO (Diesel Range Organics)	-	-	NA	1.46	0.498	<0.090>

VOLATILE ORGANIC COMPOUNDS

	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<0.5	<0.5	NA	<0.50
n-Butylbenzene	-	-	NA	1.78	NA	NA
sec-Butylbenzene	-	-	NA	5.68	NA	NA
Ethylbenzene	700	140	<1.0	<1.0	NA	<0.55
Isopropylbenzene	-	-	NA	1.26	NA	NA
Methyl - t - Butyl ether	60	12	<1.0	<1.0	NA	<0.47
Naphthalene	40	8	<1.0	1.20	NA	<0.52
Toluene	1,000	200	<1.0	<1.0	NA	<0.52
1,2,4-Trimethylbenzene	480 (1)	96 (1)	<1.0	<1.0	NA	<0.55
1,3,5-Trimethylbenzene	480 (1)	96 (1)	<1.0	<1.0	NA	<0.52
m&p-Xylene	10,000 (2)	1,000 (2)	<1.0	<1.0	NA	<1.0
o-Xylene	10,000 (2)	1,000 (2)	<1.0	<1.0	NA	<0.50
Lead	15	1.5	<1.0	1.46	NA	<1.4

*mg/l - milligrams/liter (ppm)

**ug/l - micrograms/liter (ppb)

" - " standards not established

"NA" - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

(1) Total Trimethylbenzene

(2) Total Xylenes

- detected above the Enforcement Standard

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-4

POLYNUCLEAR AROMATIC HYDROCARBONS

	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
Acenaphthene	-	-	NA	<0.11	<0.11	<0.026
Acenaphthylene	-	-	NA	<0.08	<0.08	<0.073
Anthracene	3000	600	NA	<0.03	<0.03	<0.023
Benzo (a) Anthracene	-	-	NA	<0.06	<0.06	<0.042
Benzo (b) Fluoranthene	0.2	0.02	NA	<0.03	<0.03	<0.023
Benzo (k) Fluoranthene	-	-	NA	<0.03	<0.03	<0.028
Benzo (ghi) Perylene	-	-	NA	<0.05	<0.05	<0.031
Benzo (a) pyrene	0.2	0.02	NA	<0.06	<0.06	<0.016
Chrysene	0.2	0.02	NA	<0.04	<0.04	<0.023
Dibenzo (ah) Anthracene	-	-	NA	<0.06	<0.06	<0.022
Fluoranthene	400	80	NA	<0.04	<0.04	<0.041>
Fluorene	400	80	NA	0.641	0.203	<0.045>
Indeneo (1,2,3 -cd) Pyrene	-	-	NA	<0.04	<0.04	<0.090
Naphthalene	40	8	NA	<0.05	<0.05	<0.034
Phenanthrene	-	-	NA	<0.08	<0.08	<0.066
Pyrene	250	50	NA	<0.17	<0.17	<0.025
Methyl - 1- Naphthalene	-	-	NA	<0.06	<0.06	<0.097
Methyl - 2- Naphthalene	-	-	NA	<0.07	<0.07	<0.066

mg/l - milligrams/liter (ppm)

ug/l - micrograms/liter (ppb)

NA - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

- detected above the Enforcement Standard

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-5

Post
Excavation

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
GRO (Gasoline Range Organics)	-	-	0.085	<0.050	NA	<0.021>
DRO (Diesel Range Organics)	-	-	NA	1.12	0.474	0.25

VOLATILE ORGANIC COMPOUNDS

	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<0.5	1.17	NA	<0.81>
Ethylbenzene	700	140	<1.0	<1.0	NA	<0.64>
Methyl - t - Butyl ether	60	12	<1.0	<1.0	NA	<0.47
Naphthalene	40	8	<1.0	<1.0	NA	2.1
Toluene	1,000	200	<1.0	<1.0	NA	<0.72>
1,2,4-Trimethylbenzene	480 (1)	96 (1)	<1.0	<1.0	NA	<0.93>
1,3,5-Trimethylbenzene	480 (1)	96 (1)	1.07	<1.0	NA	<0.78>
m&p-Xylene	10,000 (2)	1,000 (2)	<1.0	<1.0	NA	<2.1>
o-Xylene	10,000 (2)	1,000 (2)	<1.0	<1.0	NA	<0.50
Lead	15	1.5	<1.0	2.41	NA	<1.4

*mg/l - milligrams/liter (ppm)

**ug/l - micrograms/liter (ppb)

" - " standards not established

"NA" - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

(1) Total Trimethylbenzene

(2) Total Xylenes

- detected above the Enforcement Standard

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-5

POLYNUCLEAR AROMATIC HYDROCARBONS

	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
Acenaphthene	-	-	NA	<0.11	<0.11	<0.026
Acenaphthylene	-	-	NA	<0.08	<0.08	<0.073
Anthracene	3000	600	NA	<0.03	<0.03	<0.026>
Benzo (a) Anthracene	-	-	NA	<0.06	<0.06	<0.042
Benzo (b) Fluoranthene	0.2	0.02	NA	<0.03	<0.03	<0.029>
Benzo (k) Fluoranthene	-	-	NA	<0.03	<0.03	<0.028
Benzo (ghi) Perylene	-	-	NA	<0.05	<0.05	<0.031
Benzo (a) pyrene	0.2	0.02	NA	<0.06	<0.06	<0.016
Chrysene	0.2	0.02	NA	<0.04	<0.04	<0.026>
Dibenzo (ah) Anthracene	-	-	NA	<0.06	<0.06	<0.022
Fluoranthene	400	80	NA	<0.04	<0.04	<0.068>
Fluorene	400	80	NA	<0.04	<0.04	<0.031
Indeneo (1,2,3 -cd) Pyrene	-	-	NA	0.150	<0.04	<0.090
Napthalene	40	8	NA	<0.05	<0.05	<0.036>
Phenanthrene	-	-	NA	<0.08	<0.08	<0.066
Pyrene	250	50	NA	<0.17	<0.17	<0.050>
Methyl - 1- Napthalene	-	-	NA	<0.06	<0.06	<0.097
Methyl - 2- Napthalene	-	-	NA	<0.07	<0.07	<0.066

mg/l - milligrams/liter (ppm)

ug/l - micrograms/liter (ppb)

NA - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

- detected above the Enforcement Standard

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-6

Post
Excavation

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
GRO (Gasoline Range Organics)	-	-	mg/l	mg/l	mg/l	mg/l
DRO (Diesel Range Organics)	-	-	<0.050	<0.050	NA	<0.015
			NA	<0.10	<0.10	<0.065>

VOLATILE ORGANIC COMPOUNDS

	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<0.5	<0.5	NA	<0.50
Ethylbenzene	700	140	<1.0	<1.0	NA	<0.55
Methyl - t - Butyl ether	60	12	<1.0	<1.0	NA	<0.47
Naphthalene	40	8	<1.0	<1.0	NA	<0.52
Toluene	1,000	200	<1.0	<1.0	NA	<0.61>
1,2,4-Trimethylbenzene	480 (1)	96 (1)	<1.0	<1.0	NA	<0.55
1,3,5-Trimethylbenzene	480 (1)	96 (1)	<1.0	<1.0	NA	<0.52
m&p-Xylene	10,000 (2)	1,000 (2)	<1.0	<1.0	NA	<1.0
o-Xylene	10,000 (2)	1,000 (2)	<1.0	<1.0	NA	<0.50
Lead	15	1.5	<1.0	<1.0	NA	<1.5>

*mg/l - milligrams/liter (ppm)

**ug/l - micrograms/liter (ppb)

" - " standards not established

"NA" - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

(1) Total Trimethylbenzene

(2) Total Xylenes

- detected above the Enforcement Standard

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER MW-6

POLYNUCLEAR AROMATIC HYDROCARBONS

	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Acenaphthene	-	-	NA	<0.11	<0.11	<0.026
Acenaphthylene	-	-	NA	<0.08	<0.08	<0.073
Anthracene	3000	600	NA	<0.03	<0.03	<0.024>
Benzo (a) Anthracene	-	-	NA	<0.06	<0.06	<0.042
Benzo (b) Fluoranthene	0.2	0.02	NA	0.090	0.067	<0.030>
Benzo (k) Fluoranthene	-	-	NA	0.047	0.038	<0.028
Benzo (ghi) Perylene	-	-	NA	<0.05	<0.05	<0.031
Benzo (a) pyrene	0.2	0.02	NA	<0.06	<0.06	<0.016>
Chrysene	0.2	0.02	NA	0.055	0.041	<0.030>
Dibenzo (ah) Anthracene	-	-	NA	<0.06	<0.06	<0.022
Fluoranthene	400	80	NA	0.249	0.176	<0.073>
Fluorene	400	80	NA	<0.04	<0.04	<0.031
Indeneo (1,2,3 -cd) Pyrene	-	-	NA	0.069	0.047	<0.090
Naphthalene	40	8	NA	<0.05	<0.05	<0.034
Phenanthrene	-	-	NA	<0.08	<0.08	<0.066
Pyrene	250	50	NA	<0.17	<0.17	<0.048>
Methyl - 1- Naphthalene	-	-	NA	<0.06	<0.06	<0.097
Methyl - 2- Naphthalene	-	-	NA	<0.07	<0.07	<0.066

mg/l - milligrams/liter (ppm)

ug/l - micrograms/liter (ppb)

NA - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

- detected above the Enforcement Standard

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER PZ-1/PZ-1A

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE					
			7/20/98	10/21/98	12/16/98	6/15/99	12/8/99	5/23/00
GRO (Gasoline Range Organics)	-	-	0.774	1.71	NA	0.33	0.15	0.088
DRO (Diesel Range Organics)	-	-	NA	1.92	2.34	1.5	NA	<1.4

VOLATILE ORGANIC COMPOUNDS

	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	6.4	25.5	NA	5.9	<0.5	<0.5
sec-Butylbenzene	-	-	NA	10.5	NA	NA	NA	NA
Ethylbenzene	700	140	41.7	120.0	NA	11	<0.55	<0.55
Isopropylbenzene	-	-	NA	13.8	NA	NA	NA	NA
Methyl - t - Butyl ether	60	12	<5.0	<10	NA	<0.94	<0.47	<0.47
Naphthalene	40	8	30.6	53.6	NA	12	3.5	3.5
n-Propylbenzene	-	-	NA	18.8	NA	NA	NA	NA
Toluene	1,000	200	9.26	<10	NA	<2.7>	<1.1>	<0.94>
1,2,4-Trimethylbenzene	480 (1)	96 (1)	51.3	119.0	NA	6.4	<1.1>	<0.55>
1,3,5-Trimethylbenzene	480 (1)	96 (1)	19.3	35.7	NA	<2.6>	<0.52	<0.52
m&p-Xylene	10,000 (2)	1,000 (2)	63.5	106.0	NA	7.4	<2.9>	<1.0
o-Xylene	10,000 (2)	1,000 (2)	29.6	20.5	NA	<2.8>	<0.5	<0.50
Lead	15	1.5	<1.0	8.76	NA	<1.4	<1.4	<1.4

*mg/l - milligrams/liter (ppm)

**ug/l - micrograms/liter (ppb)

" - " standards not established

"NA" - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

(1) Total Trimethylbenzene

(2) Total Xylenes

- detected above the Enforcement Standard

Note PZ-1 was abandoned on 5/3/99 and replaced by PZ-1A on 5/5/99

WATER SAMPLING RESULTS
FAMILY NATURAL HEALTH FOODS
MONITORING WELL NUMBER PZ-1/PZ-1A

POLYNUCLEAR AROMATIC HYDROCARBONS

	Enforcement Standard	Preventive Action Limit	SAMPLE DATE			
			7/20/98	10/21/98	12/16/98	6/15/99
Acenaphthene	-	-	NA	<0.11	<0.27	0.71
Acenaphthylene	-	-	NA	<0.08	<0.27	<0.073
Anthracene	3000	600	NA	<0.03	<0.1	<0.048>
Benzo (a) Anthracene	-	-	NA	<0.06	<0.2	<0.042
Benzo (b) Fluoranthene	0.2	0.02	NA	0.047	<0.1	<0.023
Benzo (k) Fluoranthene	-	-	NA	<0.03	<0.1	<0.026
Benzo (ghi) Perylene	-	-	NA	<0.05	<0.17	<0.031
Benzo (a) pyrene	0.2	0.02	NA	<0.06	<0.2	<0.016
Chrysene	0.2	0.02	NA	<0.04	<0.13	<0.023
Dibenzo (ah) Anthracene	-	-	NA	<0.06	<0.2	<0.022
Fluoranthene	400	80	NA	<0.04	<0.13	<0.076>
Fluorene	400	80	NA	<0.04	1.33	0.70
Indeno (1,2,3 -cd) Pyrene	-	-	NA	<0.04	<0.13	<0.090
Naphthalene	40	8	NA	44.1	40.2	7.5
Phenanthrene	-	-	NA	<0.08	<0.27	<0.088
Pyrene	250	50	NA	<0.17	<0.57	<0.025
Methyl - 1 - Naphthalene	-	-	NA	14.7	15.4	8.2
Methyl - 2 - Naphthalene	-	-	NA	10.1	8.25	1.6

mg/l - milligrams/liter (ppm)

ug/l - micrograms/liter (ppb)


NA - not analyzed

<0.0> - detected above limit of detection but below limit of quantitation

- detected above the Enforcement Standard

Note PZ-1 was abandoned on 5/3/99 and replaced by PZ-1A on 5/5/99

1010



SECTION A-A

HORIZONTAL SCALE 1"=10'
VERTICAL SCALE 1"=4'



ESP GROUP, INC.
**LAMPERT-LEE
& ASSOCIATES**

**FAMILY NATURAL
HEALTH FOODS**
PRE REMEDIAL GEOLOGIC
CROSS SECTION A-A




DATE: JUNE 19, 2000
LLA # 99-46
DRAWN BY: JIM BRASEL
REVIEWED BY: J. LINDEMANN
DWG. NO. A-8220-S

986

J.A.B.-Jun 19, 2000, 11:22:49

1010



SECTION B-B

HORIZONTAL SCALE 1"=10'
VERTICAL SCALE 1"=4'



ESP GROUP, INC.
**LAMPERT-LEE
& ASSOCIATES**

**FAMILY NATURAL
HEALTH FOODS**
PRE REMEDIAL GEOLOGIC
CROSS SECTION B-B



DATE: JUNE 19, 2000
LLA # 99-46
DRAWN BY: JIM BRASEL
REVIEWED BY: J. LINDEMANN
DWG. NO. A-8220-S

986

J.A.B.-Jun 19, 2000, 11:23:22